

starline[®]

DIETZEL
UNIVOLT
Cable Management Systems

SLR Starline Round



starline® SLR

The new standard in trunking aesthetics



Increased Capacity

Round, but not bulky.
More room for your
cables without added
depth.



Improved Aesthetics

Rounded corners and a
stylish profile



Easy Install

Hinged lids to support
cables during installation



Easy to adapt

Full compatibility with
the established Starline®
accessories like dividers,
outlet boxes and hou-
sings.

SLR Product Range

Material	Mechan.	UV stabil.	Temp.
PVC-U	> 1250 N	<input checked="" type="checkbox"/>	-25°C/+60°C

SLR, skirting trunking with rounded corners; white (RAL 9010), available in 3m standard length
 In accordance with: EN 50085, BS 4678 Part 4

art	dim.	ps	ref
SLR 50/170	50x170	3m	101 124



RAE, external angle; white (RAL 9010)

art	dim.	ps	ref
RAE 50/170	270x270x170x50	1	101 119



RE, stop end; white (RAL 9010)

art	dim.	ps	ref
RE 50/170	16x170x50	10	101 120



RFT, flat tee; white (RAL 9010)

art	dim.	ps	ref
RFT 50/170	480x325x170x50	1	101 121




RFW, flat angle; white (RAL 9010)

art	dim.	ps	ref
RFW 50/170	270x270x170x50	1	101 122



RIE, internal angle; white (RAL 9010)



art	dim.	ps	ref
RIE 50/170	270x270x170x50	1	101 123

RK, cover joint; white (RAL 9010)



art	dim.	ps	ref
- RK 50/170	20x170x50	10	101 590

SLB1, single gang outlet box for switches and sockets; white (RAL 9010)



art	dim.	ps	ref
SLB 1	80x85x28mm	20	036 075

SLB2, twin gang outlet box for switches and sockets; white (RAL 9010)



art	dim.	ps	ref
SLB 2	140x85x28mm	20	036 076